
Differential Pressure Bellows Unit Cutaway



Model: 273-815

DAC Worldwide's Differential Pressure Bellows Unit Cutaway (273-815) is a detailed, sectioned, professionallycrafted differential pressure unit cutaway that depicts a common bellows-type differential pressure sensing assembly.

This type of unit is commonly encountered as an actuating device in a variety of industrial pneumatic instruments, including pneumatic controllers, chart recorders, and indicators used within industrial process control systems. This common piece of pneumatic control hardware is found in manufacturing facilities, petro-chemical plants, refineries, and other similar industrial, commercial, and oil and gas applications.

The cutaway includes a formed-steel mounting assembly, allowing for stand-alone display, bench-top mounting, or mounting on specialized DAC Worldwide mounting benches and support structures.

Through careful sectioning, the complete internal configuration of the device can be seen, while also allowing for disassembly for more compete inspection. All primary features have been retained and showcased.

FEATURES & SPECIFICATIONS

Important Product Note: Photographs are representative and for reference only. Product appearance and dimensions may vary based upon component manufacturer and availability. Any product dimensions given, such as size and weight, are approximate and for directional use only. For the most accurate shipping dimensions and weights, please contact the manufacturer.

- Sectioning of actual industrial component (common US industrial component brands and models are chosen for industrial training relevancy).
- Restoration and cleaning of all primary component parts where necessary.
- Multiple sectioned (cut away) areas showcasing primary components, including: HP and LP bellows assemblies, range springs, center plate, process connections, and other internal details.
- 14-gauge, formed-steel, powder-coated mounting baseplate/stand.
- Provision for mounting on related DAC Worldwide bench, workstation, and storage products.
- Packaging for shipment via parcel service or motor freight.

PRODUCT DIMENSIONS

DISCLAIMER: Product Dimensions are approximate. Shipping Dimensions and Weights are for directional use only and may change based on manufacturer variables. For the most accurate Shipping Dimensions and Weights, please contact the manufacturer.

- Product Dimensions

 (L x W x H)
 9" x 9" x 10" (228 x 228 x 250 mm)
- Shipping Dimensions

 (L x W x H)
 12" x 12" x 12" (305 x 305 x 305 mm)

OPTIONS

- Recommended #902V Mobile Display Stand
- #530-000 IPT Pipe Trades Training Manual
- #530-001 IPT Pipe Trades Handbook

Address

DAC Worldwide 601 Heron Drive Swedesboro, NJ 08085

Contacts

email: contact@dacworldwide.com phone: (800) 662 5877