


Flow Nozzle Assembly Cutaway



Model: 273-730

DAC Worldwide's Flow Nozzle Assembly Cutaway (273-730) depicts a classic in-line, flange-mounted arrangement used in supporting flow measurement using a differential pressure transmitter. This widely-use device is commonly found in manufacturing facilities, petro-chemical plants, refineries and other similar industrial and commercial applications.

The flow nozzle is generally used for measuring the flow of steam as well as non-viscous, erosive and high-velocity media. They can be used in a wide variety of applications that include steam, air, water, vapor, gas, chemical substances, and high temperatures.

The assembly includes two (2) 150 #, socket-welded, ANSI flanges, pipe stubs with pressure tap connections, gaskets, and an aluminum, CNC-machined flow nozzle. Through careful sectioning, the complete internal configuration of the device can be seen while also allowing for disassembly for more complete inspection. A formed-steel baseplate and support brackets position the assembly for optimum viewing.

The cutaway comes mounted on a 14-gauge, formed-steel, powder-coated mounting stand with component attachment brackets. It can also be mounted on related DAC Worldwide bench, workstation, and storage products.

FEATURES & SPECIFICATIONS

Important Product Note: Photographs are representative and for reference only. Product appearance and dimensions may vary based upon component manufacturer and availability. Any product dimensions given, such as size and weight, are approximate and for directional use only. For the most accurate shipping dimensions and weights, please contact the manufacturer.

- Sectioning of actual industrial process components
- Cleaning and painting using a high-durability finish
- 14-Gauge, formed-steel, powder coated, mounting stand, with component attachment brackets
- Provision for mounting on related bench, workstation, and storage products

PRODUCT DIMENSIONS

DISCLAIMER: *Product Dimensions are approximate. Shipping Dimensions and Weights are for directional use only and may change based on manufacturer variables. For the most accurate Shipping Dimensions and Weights, please contact the manufacturer.*

- 9-in. L x 9-in. W x 10-in. H (230 x 230 x 250 mm)

OPTIONS

- Recommended #902V - Mobile Display Stand

Address

DAC Worldwide
601 Heron Drive
Swedesboro, NJ 08085

Contacts

email: contact@dacworldwide.com
phone: (800) 662 5877