

Level Measurement Training System Plus, Control Package



Model: 617-CTL

DAC Worldwide's Level Measurement Training System Plus, Control Package (617-CTL) is a working, large-scale fluid process system that allows for hands-on principles related to basic hydrostatic training, as well as the installation, calibration, and maintenance of process field instruments using a column of water. The device, coupled with a comprehensive student manual, creates a complete, self-paced learning system that reflects realistic industrial and commercial applications.

This self-contained hydrostatic training system provides for complete, realistic courses in instrumentation control and calibration within an economical and space-saving package. Useful within industrial training programs or in an educational setting, the Level Measurement Training System Plus will help make this fundamental part of instrumentation maintenance training more memorable and effective.

The complete hydrostatic training package includes a Level Measurement Training System (617), Diaphragm Control Valve Assembly (617-047), PID Controller and I/P Converter Panel (600-066), Differential Pressure Switch Assembly (600-067), Differential Pressure Transmitter (600-056), and a 3-Valve Manifold (600-059).

Practice Hands-On Process Control Skills for Various Applications

The basic instrumentation training system workstation includes a 3-gallon, 36-inch clear acrylic tank, and a 15-gallon reservoir. The training system's open architecture allows for installation of instrumentation of various designs from many manufacturers at multiple locations within the system and on the tank, using quick-connect fittings. With optional and/or user-supplied equipment, the device can be used for creation of basic process loops relating to level control, using a variety of measurement and control methods.

The hydrostatic training workstation utilizes a 14-gauge welded steel frame, with four casters. The front face panel was fabricated from aluminum sheets, and includes clear PVC piping and fittings throughout. It also includes a ¼ HP centrifugal pump with an inlet strainer, and GFI circuit protection. The 14-gauge support frame provides durability to stand up to frequent use, and to aide learners in becoming better prepared for the tasks they will encounter on the job.

Hands-On Exercises and Learning Activities Lead to Realistic Results

DAC Worldwide's Level Measurement Training System Plus also features eight (8) hands-on exercises and learning activities that focus more on results and less on secondary academic background information. This comprehensive training system offers content in instrumentation principles, with individual learning activities provided in a self-paced or instructor-led format. The integrated course features multiple activities, all of which include background information on the topic, hands-on experiments, and related review questions.

Optional Student Training Manual Available to Enhance Learning

A copy of this course's Student Training Manual is available with the training system. Sourced from the Exercises and Learning Activities, the Student Training Manual takes the technical content contained in the learning objectives, and combines it into one perfectly-bound book. If you would like to inquire about purchasing additional Student Training Manuals for your program, please contact your local DAC Worldwide Representative for more information.

FEATURES & SPECIFICATIONS

- Welded steel frame using 14-gauge, 1-1/2" x 1-1/2" tube, and 1/8" plate
- Four (4) casters, two (2) with locks
- Front panel faces fabricated from 1/8" aluminum sheet
- Clear 1/2" diameter PVC piping and fittings throughout
- Clear acrylic process tank, 3-gallon capacity
- Wet leg demonstration tube, fabricated from clear PVC pipe
- Primary reservoir, 15-gallon capacity
- Centrifugal pump, 1/4 HP, with inlet strainer
- GFI circuit protection
- Tank overflow protection
- Power distribution panel/electrical enclosure, mounted on 19" rack panel and including, on/off power switch, pilot light, fuses for all circuits, pump power switch with provision for external control via relay, 110/240 VAC service connections and motor controller
- 24 VDC power supply with banana jack connections
- Quick-disconnect fittings located throughout, allowing for attachment of instruments, accessories, and optional equipment
- Pipe stanchion allowing for attachment of optional pressure gauges, pressure switches, differential pressure transmitters and pressure transmitters at varying heights.
- Crating for shipment via motor freight

Includes:

- 617 - Level Measurement Training System
- 617-047 - Diaphragm Control Valve Assembly
- 600-066 - PID Controller and I/P Converter Panel
- 600-067 - Differential Pressure Switch Assembly
- 600-056 - Differential Pressure Transmitter

OPTIONS

- #600-006A - Test and Calibration Package, Hand-Held, Economy
- #600-107 Differential Pressure Gauge (-50""-0-+50"" H2O)
- #910 - Rolling Rack Assembly

- #600-022 - Ultrasonic level detector assembly, economy
- #600-051 - Strip chart recorder, 2-pen (Yokogawa, SR 1000) (additional)
- #617-500 - Additional Use/Exercise Guide
- #940-001 - Control Module Base Assembly
- #940F - Control Module Assembly Frame (for supplemental panels)

PRODUCT DIMENSIONS

- **Product Dimensions**

(L x W x H)

23in. x 34in. x 76in. (590 x 865 x 1930 mm)

195lbs. (89kg)

- **Shipping Dimensions**

(L x W x H)

39-1/4in. x 27in. x 85in. (997mm x 686mm x 2159mm)

300lbs. (130kg)

ACCESSORIES

- 100', 1/4in. Diameter instrument connection tubing
- Eight (8) 36in. test leads
- Four (4), 60in. test leads
- Eight (8) quick-disconnect nipples
- Six (6) tubing tees
- Six (6) tubing couplers
- One (1) pressure gauge, 0-3 psig
- Two (2), 250 ohm conversion resistors
- Use/Exercise Guide

UTILITIES

- 110/240 VAC, 50/60 Hz

Address

DAC Worldwide
3 Killdeer Court, Suite #301
Swedesboro, NJ 08085

Contacts

email: contact@dacworldwide.com
phone: (800) 662 5877