# Solenoid Valve Cutaway



Model: 273-440

DAC Worldwide's Solenoid Valve Cutaway (273-440) is a detailed, professionally-crafted specialty valve cutaway that depicts an electric, industrial solenoid valve commonly found in process systems in on/off control applications.

Commonly found in both fluid and gas control applications, these integrated control devices are an economical

alternative to other solutions requiring both a specialty valve and an actuator.

The industrial solenoid cutaway includes a formed-steel mounting assembly, allowing for stand-alone display, bench-top mounting, or mounting on specialized DAC Worldwide mounting benches and display structures.

Through careful sectioning, the complete internal configuration of the industrial solenoid valve and actuation coil can be seen, while also allowing for disassembly for more complete inspection. All primary features have been retained and exposed, including partial electromagnetic activation coil, core, core tube, seat disc, seat, valve body, and bonnet gaskets. Operating modes can be easily described and explained.

### **FEATURES & SPECIFICATIONS**

**Important Product Note**: Photographs are representative and for reference only. Product appearance and dimensions may vary based upon component manufacturer and availability. Any product dimensions given, such as size and weight, are approximate and for directional use only. For the most accurate shipping dimensions and weights, please contact the manufacturer.

- Sectioning of actual industrial component (common models by well-known manufacturers are chosen for industrial relevancy).
- Cleaning, priming, and painting using a high-durability polyurethane coating where necessary.
- Full sectioning of valve assembly, providing full view of coil, core, core tube, valve body, seat, and core disc.
- 13-gauge, formed-steel, powder-coated mounting assembly with component attachment brackets and steel pipe mounting spools.
- Provision for mounting on related DAC Worldwide bench, workstation, and display products.
- Manufacturer's installation, operation, and maintenance manual.
- Packaging for shipment via courier or parcel service.

### **PRODUCT DIMENSIONS**

**DISCLAIMER**: Product Dimensions are approximate. Shipping Dimensions and Weights are for directional use only and may change based on manufacturer variables. For the most accurate Shipping Dimensions and Weights, please contact the manufacturer.

• Product Dimensions

(LxWxH) 9" x 9" x 10"(230 x 230 x 250 mm)

• Shipping Dimensions

(LxWxH)

12" x 12" x 12"(305 x 305 x 305 mm)

# **OPTIONS**

• Recommended #902V Mobile Display Stand

## Address

DAC Worldwide 601 Heron Drive Swedesboro, NJ 08085

## Contacts

email: contact@dacworldwide.com

phone: (800) 662 5877